SHOWER SCREENS & WARDROBES

1 Freight Street, Yatala, QLD 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348 P. (07) 3441 7777 F. (07) 3441 7711

W. www.civicscreens.com.au


E. reception@civicscreens.com.au

SHELF TYPES

Fixed Shelves

Type: SH-1

- Standard Fixed Shelf
- No Front Cleat




Max. Span

Between walls
No central support

1200mm
Standard Depth:
440mm
Available Depths:

Type: SH-2

- Fixed Shelf
- Recessed Front Cleat



Max. Span Between walls


200-600mm

No central support

1600mm
Standard Depth:
440mm
Available Depths:
200-600mm

Type: SH-2.2

- Fixed Shelf
- Double Recessed Front Cleat



Max. Span Between walls

No central support

1900mm
Standard Depth:
440mm
Available Depths:
200-600mm

Type: SH-3

- Fixed Top Shelf
- Hanging Rail



Max. Span

Between walls No central support TBCmm Max Load Capacity TBCkg/m

SHOWER SCREENS & WARDROBES

1 Freight Street, Yatala, QLD 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348 P. (07) 3441 7777 F. (07) 3441 7711

W. www.civicscreens.com.au

E. reception@civicscreens.com.au


SUPPORT TYPES

Posts & Gables

Type: SU-1

- Post
- Recommended for Shelf Type: SH-1


NOTE: Posts must run full height from floor to underside of top shelf for structural strength



Type: SU-2

- Post with Back Support
- Recommended for Shelf Type: SH-1

NOTE: Posts must run full height from floor to underside of top shelf for structural strength




Max. Span

Between walls Central Support 1201+mm

Type: SU-3

- Full Gable
- Recommended for Shelf Type: SH-1, SH-2 & SH-22

NOTE: Gable must run full height from floor to underside of top shelf for structural strength



Max. Span

Between walls Central Support 1201+mm Gable Depth: 240mm

Type: SU-3.2

- Half Gable
- Recommended for Shelf Type: SH-1, SH-2, SH-2.2, SH-3



Max. Span

Between walls Central Support

1201+mm

Half Gable Depth: 240mm Half Gable Length: 1200mm Max Capacity:

100kg/m

40kg hanging/60kg on top shelf



SHOWER SCREENS & WARDROBES

1 Freight Street, Yatala, QLD 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348 P. (07) 3441 7777 F. (07) 3441 7711

W. www.civicscreens.com.au

E. reception@civicscreens.com.au

SUPPORT TYPES

Posts & Gables

Type: SU-4

- Shark Fin Gable
- Recommended Shelf Type: SH-1, SH-3



Max. Span

Between walls Central Support

1200+mm

Gable Depth & Length:

240mm

Max Capacity:

50kg/m

20kg hanging/30kg on top shelf

SHOWER SCREENS & WARDROBES

1 Freight Street, Yatala, QLD 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348 P. (07) 3441 7777 F. (07) 3441 7711

W. www.civicscreens.com.au

E. reception@civicscreens.com.au


SHELF SUPPORT REQUIREMENTS


Fixed Shelving: Single Wall



Fixed Shelves

- Shelf Type: SH-1
 - Max Span: 1200mm
- 1201-2400mm → 1 post required
- 2401–3600mm \rightarrow 2 posts required
- \geq 3601mm \rightarrow 2 post + full gable required
- Supports must be positioned:
 - equally spaced along the wall (distance no greater than 1200mm apart ≤1200mm or less)





Fixed Shelves with 1 Post

- Shelf Type: SH-1
- Support Type: SU-1
- 1201–2400mm → 1 post required
- Support must be positioned:
 - centred



Fixed Shelves with 2 Posts

- Shelf Type: SH-1
- Support Type: SU-1
- 2401–3600mm \rightarrow 2 posts required
- Supports must be positioned:
 - equally spaced along the wall (distance no greater than 1200mm apart ≤1200mm or less)



Fixed Shelves with Centre Gable and Posts

- Shelf Type: SH-1
- Support Type: SU-1 & SU-3
- ≥3601mm or greater → 2 posts + full gable required
- Supports must be positioned:
 - equally spaced along the wall (distance no greater than 1200mm apart ≤1200mm or less)

SHOWER SCREENS & WARDROBES

1 Freight Street, Yatala, QLD 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348

P. (07) 3441 7777 F. (07) 3441 7711

W. www.civicscreens.com.au

E. reception@civicscreens.com.au

SHELF SUPPORT REQUIREMENTS

Fixed Shelving: Multi-Wall-L, U & D



Fixed Shelves with Post

Shelf Type: SH-1

• Max Span: 1800mm

Support Type: SU-1

- Support must be positioned:
 - Wall A 1800mm or less (≤1800mm) → 1 post positioned 600mm from Wall B
 - Less than 150mm from the join (as per the image) on the shortest side
 - REMEMBER: no span greater than 1200mm between posts and walls (≤1200mm or less)



Fixed Shelves with Multiple Posts: L

• Shelf Type: SH-1

• Span: ≥1801mm

• Support Type: SU-1

- Supports must be positioned:
 - Wall A 1801–2400mm → 2 posts (1 at 600mm from Wall B, 1 centred between post and opposite wall)
 - One post is to be less than 150mm from the join (as per the image) on the shortest side
 - At the centre of the span when the span exceeds ≥1200mm



Fixed Shelves with Multiple Posts: U

• Shelf Type: SH-1

Span: ≥1201mm

Support Type: SU-1

- Supports must be positioned:
 - 600mm from the corner on L-shape or Ushape rooms, and
 - At the centre of the span when the span exceeds ≥1200mm
 - Additional posts may be needed to prevent the post from being more than 600mm from a join



Fixed Shelves with Front Cleats

• Shelf Tupe: SH-2

• Max Span: 1600mm

• Shelf Type: SH-2.2

Max Span: 1900mm

Front cleats may be used to provide additional strength to shelving



SHOWER SCREENS & WARDROBES

1 Freight Street, Yatala, QLD 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348 P. (07) 3441 7777 F. (07) 3441 7711

W. www.civicscreens.com.au

E. reception@civicscreens.com.au

SHELF SUPPORT REQUIREMENTS

Fixed Shelving: Multi-Wall-L, U & D



Fixed Top Shelf

• Shelf Type: SH-1

• Max Span: TBC



Fixed Top Shelf with Front Cleats, Shark Fin Gables

• Shelf Type: SH-2 or SH-2.2

• Support Type: SU-4

- 1201-2400mm → 1 shark fin support required
- 2401-3600mm → 2 shark fin support required
- 3601mm or greater (≥3601mm) → 3+ shark fins required
- Supports must be positioned:
 - equally spaced along the wall (distance no greater than 1200mm apart ≤1200mm or less)

SHELF DEPTH

Notes

Shelf Depth Considerations

- Return shelf depth impacts spans (e.g. a 300mm deep return shelf reduces allowable span compared to 440mm standard)
- Mixed shelf depths (e.g. 600mm below and 440mm above) posts may need to be split, this creates issues and not visually appealing with split posts → best practice is to upgrade to face cleat construction instead of posts

SHOWER SCREENS & WARDROBES

1 Freight Street, Yatala, QLD 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348 P. (07) 3441 7777 F. (07) 3441 7711

W. www.civicscreens.com.au

E. reception@civicscreens.com.au

SHELF SUPPORT REQUIREMENTS

Fixed Shelf & Hanging: Single Wall



Fixed Top Shelf with Hanging Rail

• Shelf Type: SH-3

• Max Span: 1200mm

 Hanging rail must be a minimum of 250mm from the rear wall



Fixed Top Shelf with Hanging Rail, Centre Shark Fin Gable


• Shelf Type: SH-3

• Span: 1201-2400mm

• Support Type: SU-4

• 1201–2400mm → 1 shark fin support required

• Hanging rail must be a minimum of 250mm from the rear wall




Fixed Top Shelf with Hanging Rail, 2 Shark Fin Gables

• Shelf Type: SH-3

• Support Type: SU-4

- 2401-3600mm → 2 shark fin supports required
- Hanging rail must be a minimum of 250mm from the rear wall
- Supports must be positioned:
 - equally spaced along the wall (distance no greater than 1200mm apart ≤1200mm or less)



Fixed Top Shelf with Hanging Rail, Centre Gable and Shark Fin Gables

• Shelf Tupe: SH-3

• Support Type: SU-3.2, SU-4

- ≥3601mm or greater → 2 shark fin gables + full gable required
- Hanging rail must be a minimum of 250mm from the rear wall
- Supports must be positioned:
 - equally spaced along the wall (distance no greater than 1200mm apart ≤1200mm or less)

SHOWER SCREENS & WARDROBES

1 Freight Street, Yatala, QLD 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348 P. (07) 3441 7777 F. (07) 3441 7711

W. www.civicscreens.com.au

E. reception@civicscreens.com.au

SHELF SUPPORT REQUIREMENTS

Fixed Shelf & Hanging: Single Wall



Fixed Top Shelf with Front Cleats and Hanging Rail

Shelf Type: SH-2

• Max Span: 1200mm

 Hanging rail must be a minimum of 250mm from the rear wall



Fixed Top Shelf with Double Hanging Rail, and Half Gable

• Shelf Type: SH-3

• Support Type: SU-3.2

- Hanging rail must be a minimum of 250mm from the rear wall
- Double hanging requires a top shelf height of at least 1900mm from finished floor level (FFL), with 2000mm preferred



Fixed Narrow Top Shelf with Hanging Rail, and Half Gable

- Shelf Type: SH-3 (Narrow)
- Hanging rail must be a minimum of 250mm from the rear wall
- Double hanging requires a top shelf height of at least 1900mm from finished floor level (FFL), with 2000mm preferred



Fixed Top Shelf with Double Hanging Rail, and Gables

- Shelf Type: SH-1
- Support Type: SU-2
- Hanging rail must be a minimum of 250mm from the rear wall
- Double hanging requires a top shelf height of at least 1900mm from finished floor level (FFL), with 2000mm preferred



SHOWER SCREENS & WARDROBES

1 Freight Street, Yatala, QLD 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348 P. (07) 3441 7777 F. (07) 3441 7711

W. www.civicscreens.com.au

E. reception@civicscreens.com.au

SHELF SUPPORT REQUIREMENTS

Fixed Shelf & Hanging: Multi-Wall-L, U & D



Fixed Top Shelf with Hanging Rail, and Shark Fin Gables

- Shelf Type: SH-3Support Type: SU-4
 - Max Span: TBCmm
- Hanging rail must be a minimum of 250mm from the rear wall
- Allow 600mm clearance from corners in Lshape or U-shape rooms for hanging space



Top Shelf with Double Hanging Rail, and Half Gables

- Shelf Type: SH-3
- Support Type: SU-3.3
- 1201–2400mm → 1 half gable support required
- ≥2400mm → additional half gable support every 1200mm
- Allow 600mm clearance from corners in L-shape or U-shape rooms for hanging space
- Double hanging requires a top shelf height of at least 1900mm from finished floor level (FFL), with 2000mm preferred



WARDROBES

1 Freight Street, Yatala, QLD SHOWER SCREENS & 4207 PO Box 6045, Yatala DC, QLD 4207 ABN: 86 100 720 741 QBCC Licence No. 1155348

P. (07) 3441 7777 F. (07) 3441 7711 W. www.civicscreens.com.au

E. reception@civicscreens.com.au

SHELVING

Pricing & Quoting Information

Pricing for shelving varies depending on material selection, size, finish, and configuration.

To calculate accurate pricing, please use the link below:

- Builders: [Insert Builder Pricing Link Please enquire
- Sales Representatives: [Insert Sales Portal Link Please enquire]
- Retail Customers: [Insert Retail Pricing Link Please enquire]

This link provides access to the latest Civic pricing tools and calculators, ensuring you have current rates and product availability.

For assistance with bulk or custom orders, contact Civic's estimating team on 07 3441 7777 or.



Pricing Notes

- Posts are to be priced as per standard component rate
- Additional posts required for spans over 1200mm, or to support joins, must be itemised separately
- Where a full gable is required (≥3601mm or greater), price includes gable plus required posts
- Face cleat construction is an upgrade option, when mixed shelf depths are specified (e.g., 600mm below + 440mm above). Posts are not to be priced in these cases
- Return shelves that alter span (e.g., less than 440mm deep) must be noted in pricing, as additional posts or cleats may be required
- Consistency of shelf depth: any deviation from standard depth (440mm) should be listed as a variation for pricing